

# MISSOURI Land & Farm

www.missourilandandfarm.com • Office: 660-258-3185 • Fax: 660-258-2082

## 214 Acres of Missouri River Bottom Tillable Ground -3% Return!!

**Chariton County** 

\$1,712,000



## **CONTACT:**



## **DAVE ATKINSON**

Sales & Auctioneer 660-788-3333

datkinson@missourilandandfarm.com








214 acres M/L located North West of Glasgow Missouri. The farm features 140 acres m/l tillable with remainder in woods. Lays along the Missouri River with good deer hunting and potential water fowl. This is a rare opportunity to have a good income producing farm with access to the Missouri River as land in this area seldom becomes available.


The farm features 100 acres inside the levy and 40 tillable acres outside the levy. Farm consist of Haynie and Waldron type soils. Some tile drainage has been performed in the main tract. The farm is open for the 2023 crop year. A local farmer has offered to pay \$350/Acre or \$35,000 for the 100 acres inside the levy and \$275/Acre or \$11,000 for the 40 acres on the outside of the levy. He will also pay \$25/Acre for the hunting if desired. This adds another \$5350 in yearly income for a total possible income of \$51,350 and 3% Return on asking price.

Call or Text Dave Atkinson 660-788-3333 for more info or viewing.


## Aerial Map




## Aerial Map




## **Topography Hillshade**



#### Soils Map





State: Missouri
County: Chariton

Location: 39° 16' 47.5, -92° 57' 3.68

Township: Chariton
Acres: 147.85
Date: 11/6/2022





Soils data provided by USDA and NRCS.

Area S	ymbol: MO041,	Soil Are	a Version	: 24												_
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non- Irr Class *c	Irr Class *c	Common bermudagrass Tons	Corn	Corn Bu	Grain sorghum Bu	Oats Bu	Orchardgrass red clover Tons	Soybeans Bu	Tall fescue Tons	Warm season grasses Tons	W B
13532	Haynie- Waldron complex, 0 to 2 percent slopes, occasionally flooded	71.47	48.3%		llw		7					8		8	10	
13531	Haynie- Waldron complex, 0 to 2 percent slopes, frequently flooded	60.06	40.6%		Vw	IIIw	3					8		8	9	
66111	Waldron silty clay, loamy substratum, 0 to 2 percent slopes, occasionally flooded	16.32	11.0%		IIIw		3	5	5	4		7	2	8	9	
Weighted Average					3.33	*_	7.5	0.6	0.6	0.4	*_	7.9	0.2	8	9.5	+

<sup>\*</sup>n: The aggregation method is "Weighted Average using all components"


Soils data provided by USDA and NRCS.

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method

<sup>\*-</sup> Irr Class weighted average cannot be calculated on the current soils data due to missing data.

## T52N - R18W

#### See Page 53



#### See Page 67

