

MISSOURI Land & Farm

www.missourilandandfarm.com • Office: 660-258-3185 • Fax: 660-258-2082

87 Acre Turnkey Hunting Farm & Cabin w/CRP Income!!

Ludlow Drive, Bucklin, MO 64631

Linn County

\$435,000



CONTACT: Fraction of the contact of

This 87 acres is sure to please the new owners as much as it has the current owners. The current owners bought this farm for of chasing big Missouri Whitetails and have improved in many ways. Turning a garage into a hunting cabin they have been able to enjoy and create the experiences and memories we all long for.

Randy VanderVeen from Strategic Habitat was brought in to help design and improve the farm. Blind placement and food plot locations where all implemented. The farm is currently set up with 3 strategically placed Box Blinds that will stay on the farm and transfer to the new owners.

50.93 Acres where recently renewed into the CRP program at a rental rate of \$162.77 an acre or \$8,290 Annually. Along with the quality nesting, bedding, and cover this is a great source of income through the September 30, 2032 expiration date.

The owners also turned a nice garage building into a cozy cabin enabling them to enjoy and create the experiences and memories we all long for. The cabin features 2 - bunk rooms, kitchen area, bath room, and storage area. Whether it the anticipation of arriving at camp with a mission on the mind, or the return from a long sit to the warmth,good food, a place to take care of your trophy, or just the stories this place will get it done.

For more information email, call or text Jeff Quinn 660-734-3925 for more information.



All Measurements are For FSA Programs Only

Wetland Determination Identifiers

- Restricted Use
- Limited Restrictions
- Exempt from Conservation Compliance Provisions

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area.

Refer to your original determination (CPA-026 and attached mans)

C=Com-YEL-GR SB=Soybean-COM-GR SRW=Wheat-SRW-GR Milo=Sorgh-GRS-GR FG=grass or mixfg-fg CCC=covrc-cereals ALF-alflafa-fg GZ=grass or mixfg-gz F=failed PP=prevent plant DC=double crop LS=left standing All fields are NI non-irrigated* *Unless notated on Map

1:5,910

Program Year: 2023


Created: 11/18/2022 Flown: 2022-6-28

clu


crp plss


Farm 5552 **Tract 4581**

Aerial Map



Soils Map





State: Missouri
County: Linn

Location: 20-58N-18W Township: Bucklin

Acres: **87**Date: **11/15/2022**





Soils data provided by USDA and NRCS.


loam, 5 to 9 percent slopes, moderately eroded	loam, spercen moder eroded 60209 Purdin 14 per slopes 60208 Purdin 9 to 14 slopes eroded 36072 Blacko loam, percen freque flooded	Weighted Average				3.36	2.1	3.1	3.1	3.4	3.1	3.6	*n 46.5
decided with the control of field class Legend class Legend class Legend class and the class and the class are closed from the class and the class and the class are closed closed and the class and the class are closed closed and the closed closed closed and closed closed are closed closed and closed closed closed closed closed and closed clos	60209 Purdin 14 per slopes 60208 Purdin 9 to 14 slopes eroded	5 percent	4.22	4.9%		IIIe	5	8	7	8	7	8	52
Soybeans Clover Tons of field Class Legend Class Legend Prons Tons Dermudagrass Clover Tons fescue Tons Grasses Tons Armstrong clay loam, 5 to 9 percent slopes, moderately eroded Purdin clay loam, 9 to 14 percent slopes, eroded Purdin clay loam, 9 to 14 percent slopes, severely Soybeans Tons Dermudagrass Clover Tons fescue Tons Grasses Tons Soybeans Clover Tons fescue Tons Grasses Tons Soybeans Tons Fescue Tons Grasses Tons Soybeans Tons Soybeans Tons Soybeans Tons Fescue Tons Grasses Tons Soybeans Tons Soybeans Tons Fescue Tons Grasses Tons Soybeans Tons Fescue Tons Grasses Tons Soybeans Tons Fescue Tons Tons Fescue Tons Grasses Tons Soybeans Tons Fescue Tons Tons	loam, 5 percen moder, eroded 60209 Purdin 14 per slopes 60208 Purdin 9 to 14 slopes	, 1 to 4 ent slopes, lently	4.34	5.0%		Illw			8	7	8	10	70
of field Class Legend Class bay Tons bluestem Tons Clover Tons fescue grasses Tons Armstrong clay loam, 5 to 9 percent slopes, moderately eroded 14 percent 14 percent 14 percent 15 percent Slopes, moderately eroded 19.86 22.8% IVe 5 7 6 7 6 7 51	loam, 5 percen modera eroded	14 percent es, severely	11.79	13.6%		IVe	5	8	7	8	7	8	46
of field Class Legend companies and the companies of the class Legend companies and the companies of the class Legend companies and the companies and the class class clover Tons clay loam, 5 to 9 percent slopes, moderately companies and companies and companies and clover Tons clay class clover Tons clay clover Tons clay class clover Tons class class clover Tons class clover Tons class clover Tons class class class class clover Tons class clas	loam, s percen modera	ercent	19.86	22.8%		lVe	5	7	6	7	6	7	51
of field Class Class hay bluestem bermudagrass clover Tons fescue season Soybeans Legend *c Tons Tons Tons Tons		, 5 to 9 ent slopes, erately	46.79	53.8%		IIIe							42
	Code Soil De	Description	Acres		Class	Class	hay	bluestem	bermudagrass		fescue	season grasses	

^{*}n: The aggregation method is "Weighted Average using all components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.

T58N-R18W

See Page 37



See Page 57

