

# MISSOURI Land & Farm

www.missourilandandfarm.com • Office: 660-258-3185 • Fax: 660-258-2082

# 177 Acre Big Buck Factory w/ Amazing cabin and pond setting!!

Hwy W, Lingo, MO 64631

**Macon County** 

\$849,600



#### **CONTACT:**



### **JEFFREY QUINN**

Broker 660-734-3925

jquinn@missourilandandfarm.com







Not all farms are created equal. Not all of them are capable of producing big bucks. Its definitely not everyday that one hits the open market. Today is that day.

This area has been a proven big buck producing area for years, and now here is an opportunity to get the farm you've always wanted.

This area is rich with Whitetail history and plenty of Turkeys.


This property features one of the nicest building spots I've seen. It seems a lot of the time the addition of a cabin could have a negative effect on the overall hunting depending on how the farm lays out. This farm offers an amazing spot that would not only have zero to little effect on the overall hunting but really top this farm off. It over looks an impressive 3.5Acre Pond with another 1 acre pond located just over the hill. It has a nice concrete pole building already roughed in to be a great hunting cabin. If you would rather build a house or larger cabin the building would make a great garage for all your equipment and toys.

There is a couple nice food plot locations.


72 open acres are a blank slate to increase the food source or bedding. Food plots, Alfalfa Fields, or Switch Grass would all help create a wildlife heaven.

Call, Text, or Email Jeff Quinn today for more information 660-734-3925.


### Aerial Map




#### Aerial Map



#### Soils Map





State: Missouri
County: Macon
Location: 5-57N-17W
Township: Lingo
Acres: 72.25
Date: 7/11/2022





Soils data provided by USDA and NRCS.

| Area S           | ymbol: MO121, S   | oil Area | Version: 2          | 3                          |                        |                        |                               |                                |                                 |                        |                                   |                      |
|------------------|---|----------|---------------------|----------------------------|------------------------|------------------------|-------------------------------|--------------------------------|---------------------------------|------------------------|-----------------------------------|----------------------|
| Code             | Soil Description  | Acres    | Percent<br>of field | Non-Irr<br>Class<br>Legend | Non-Irr<br>Class<br>*c | Alfalfa<br>hay<br>Tons | Caucasian<br>bluestem<br>Tons | Common<br>bermudagrass<br>Tons | Orchardgrass red<br>clover Tons | Tall<br>fescue<br>Tons | Warm<br>season<br>grasses<br>Tons | *n NCCPI<br>Soybeans |
| 50010            | Winnegan loam,<br>14 to 20 percent<br>slopes, eroded                    | 37.12    | 51.4%               |                            | Vle                    | 5                      | 8                             | 7                              | 8                               | 7                      | 8                                 | 40                   |
| 30066            | Gorin silt loam, 2<br>to 5 percent<br>slopes                            | 17.33    | 24.0%               |                            | lle                    | 5                      | 8                             | 7                              | 8                               | 7                      | 8                                 | 66                   |
| 50011            | Winnegan loam,<br>20 to 35 percent<br>slopes                            | 7.62     | 10.5%               |                            | Vle                    | 5                      | 8                             | 7                              | 8                               | 7                      | 8                                 | -7                   |
| 30233            | Keswick clay<br>loam, 9 to 20<br>percent slopes,<br>severely eroded     | 5.88     | 8.1%                |                            | Vle                    | 5                      | 8                             | 7                              | 8                               | 7                      | 8                                 | 31                   |
| 67008            | Wilbur silt loam,<br>1 to 3 percent<br>slopes,<br>frequently<br>flooded | 4.30     | 6.0%                |                            | Illw                   |                        |                               | 8                              | 9                               | 8                      | 10                                | 63                   |
| Weighted Average |   |          |                     |                            | 4.86                   | 4.7                    | 7.5                           | 7.1                            | 8.1                             | 7.1                    | 8.1                               | *n 43.4              |

<sup>\*</sup>n: The aggregation method is "Weighted Average using all components"

Soils data provided by USDA and NRCS.

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method



### Lingo Township 16 T-57-N R-17-W

